

Sample Received: **June 16, 2026**

COA Issued: **June 24, 2026**

PRODUCT INFORMATION

Vendor: Wave Research	Sample Name: KLOW 80mg	Sample Type: Blue lyophilized powder	Lot Number: LNC-594189	MW (g/mol): 342.4, 403.2, 889.1, 1419.5
---------------------------------	----------------------------------	--	----------------------------------	---

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW	KLOW BLEND (KPV, GHK-Cu, TB-500, BPC-157)	MALDI-MS	✓ Conforms
Content	10.37, 51.22, 10.49, 10.41 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.8%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram (Retention Time: 1.568, 1.837, 7.713, 8.259 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



Shane Straight
Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.